

Genius

Double Scissor Lift

*sollevatore
a doppia forbice*

*Doppelschere
Hebebühne*

*Elevador
a doble tijera*

*Pont a double
ciseaux*

PSO 3


PSO 3,5

PSC 3

PSC 3,5



Genius



PSO3 IF / PSO3,5 IF



Double scissor lift for service with flat platforms

Sollevatore a doppia forbice per servizio a pedana liscia

Doppelscherehebebühne für den service mit flachen Aufnahmeplatten.

Pont élévateur a double ciseaux pour service avec chemins de roulement plain

Elevador a doble tijera para servicio con plataformas lisas

- 1 Extensible platforms: 1530 mm - 2100 mm
Pedane estensibili: 1530 mm - 2100 mm
Auszugverlängerung Aufnahmeplatte: 1530 mm - 2100 mm
Chemins de roulement réglable: 1530 mm - 2100 mm
Extencion plataforma: 1530 mm - 2100 mm
- 2 Mechanical safety
Sicurezza meccanica
Mechanische Schererheitsklinke
Sécurité mécanique
Seguros mecanico

Genius PSC

Double scissor lift for service with inground power unit and remote control

Sollevatore a doppia forbice con centralina incassata e comandi a muro


Doppelscherehebebühne für den Service Steuerung im Boden mit Kabelfernbedienung

Pont éleveur a double ciseaux pour service avec pupitre encastré et comand a distance

Elevador a doble tijera para servicio con centralita empotrada y mando a distancia



GENIUS PSC
Inground power unit
Centralina ad incasso
Steuerung im Boden
Pupitre encastré
Centralita empotrada




Accessori · Accessories · Zubehör · Accessoires · Accesorios



REMCO
Remote control with cable.
Comando a distanza con cavo.
Kabelfernbedienung.
Commande a distance avec cable.
Mando a distancia con cable.



RU/PA
Flat rubber pad (6 pieces set)
Tappetini in gomma (6 pezzi)
Satz Gummimatten (6 stück)
Jeu de tampons très bas (6 pieces)
Juego de tapas de goma (6 piezas)



RU/PA 80 · RU/PA 40
Rubber blocks: 80mm/40 mm (4 pieces set)
Tamponi in gomma: 80mm/40 mm (4 pezzi)
Gummikloetze: 80mm/40 mm (4 stück)
Jeu de tampons: 80mm/40 mm (4 pieces)
Tapas de goma: 80mm/40 mm (4 piezas)





FR-3 (3,5) · FRC-3 (3,5)
Embedding frame
Telaio per incasso
Einbaurahmen
Caisson d'encastrement
Marco para empotrar





PSO-HC · PSC-HC
Hoses extension
Prolunghe tubi
Schlauchverlängerung
Kit rallonge tubes flexibles
Extension latiguillos



IF3 · IF3,5
Kit for opening extension when in floor
Cubi da incasso per aprire estensione a terra
Füllblock für Auszug im Boden
Jeu de cube pour ouvrir l'extension a terre
Cubo empotrado para extencion en el suelo



(*) suggested



(*) suggested

PSO 3
PSO 3,5

PSC 3
PSC 3,5



3000 kg (6600 lbs)
3500 kg (7700 lbs)



45 sec.

45 sec.



40 sec.

40 sec.



220/380V 3kW 3ph 50Hz or 60Hz
(220V 3kW 1ph 50Hz or 60Hz) optional



1850 mm (73")



4-6 bar (60-90 psi)



* 720kg (1584lbs)
750kg (1650lbs)

780kg (1716lbs)
810kg (1782lbs)



* 160 x 60 x 75 cm
(63" x 24" x 30")

215 x 60 x 75 cm
(84" x 24" x 30")

* indication only · Valori indicativi · Indikative Abmessungen · Valeurs indicatifs · Medidas indicativas

I dati sono indicativi, bisogna richiedere gli schemi di incasso.
 The data are indication only, please require embedding and foundation plans.
 Abmessungen sind Richtmasse. Einbaupläne - und Fundamentpläne müssen angefordert werden.
 Les données sont indicatives, il faut demander les schémas de encaissement.
 Las dimensiones son indicativas, pedir los planos de empotración

Authorized distributor / Distributore autorizzato / autorisierter Fachhändler
 Distributeur autorisé / Distribudor Autorizado



GENP08/06 - The specifications stated on this brochure are not binding, we reserve the right to make changes in specifications without notice and without making changes retroactive.
 © Copyright 2004 Texo SpA

OXET S.r.l. - S.S. 602 km. 51.300 - C.da Bucceri
 65012 VILLANOVA DI CEPAGATTI (PE) - Italy
 Tel. +39 085 9771090 - Fax. +39 085 9774122